

Compiler:	Emergency Response Superintendent	Name	Peerbakhsh Al Balushi	July 2024
Owner:	EHS Manager	Name	Nathalie Tremblay	July 2024
Reviewer:	Emergency Response Superintendent	Name	Peerbakhsh Al Balushi	July 2024
Approver:	Chief Operating Officer	Name	Agnello Borim	July 2024

CONTENTS

Page

1.	PURPOSE	2
2.	SCOPE	2
3.	DEFINITIONS AND ABBREVIATIONS	2
4.	EMERGENCY SERVICES PHONE NUMBERS	3
5.	RESPONSIBILITIES	3
6.	PROCEDURE	4
7.	ESCALATION OF EMERGENCIES	5
8.	Emergency Drills	12
8.1.	Drills Responsibilities	12
8.2.	Drill Plan & Procedures	13
8.2.1.	Evacuation Drill (Level 1)	14
8.2.2.	Fire Drill Level 2.....	14
8.2.3.	Fire Drill Level 3.....	14
9.	REVIEW OF THE STANDARD	15
10.	REFERENCES	15
11.	APPENDICES	15

1. PURPOSE

The purpose of the Sohar Aluminium Emergency Response Plan during an emergency is to facilitate the effective co-ordination of human and physical resources, services and activities necessary to:

- a) Protect and preserve life and property;
- b) Minimize and/or mitigate the effects of the emergency on the physical infrastructure of the SA and;
- c) Quickly and efficiently enable the recovery and restoration of normal services.
- d) Conducting effective fire and rescue drills helps Area owners, Fire Responders, Fire Wardens and others responsible for fire safety within areas to determine whether emergency responders respond in a timely manner to carry out their duties;

2. SCOPE

This Document covers all employees, contractors, vendors and visitors to all Sohar Aluminum's areas. It also describes the procedure to be adopted in the event of a fire or emergency involving Company areas and equipment. It also details the responsibilities and duties of all involved departments and personnel. This Standard encompasses the following:

- o Initiating Fire/Emergency Alarm,
- o Action to be taken by Emergency Call Receiver,
- o Various departments' responsibilities,
- o Communication,
- o Emergency Call-out,
- o Responsibilities of outside emergency Agencies.

3. DEFINITIONS AND ABBREVIATIONS

TERM	DESCRIPTION
Level 1 Emergency	Is an emergency that can be controlled by the dept. trained personnel and must be reported to SA Emergency Response team for follow up?
Level 2 Emergency	Is an Emergency situation which requires the attendance of the Emergency Response Team.
Level 3 Emergency	Is an Emergency situation beyond the capabilities and resources of the Sohar Aluminium Emergency Response Team to control, it requires outside help in the form of firefighting, high elevation rescue or any other types of emergency response services? In this category, the Civil Defence and / or Sohar Industrial Port Mutual Aid are called to assist and the emergency control room (crisis room) to be in operation.
Civil Defense	All references in this instruction will mean ROP support in the form of civil defence services.
Sohar Aluminium Areas	The Sohar Aluminium Areas include all installations within the Main plant of the Sohar Aluminium Smelter fence (including Administration building, Cast House, Carbon, Reduction Lines, Warehouse, Central Maintenance, fuel station, GIS, STP, Learning Centre), and all other areas within the smelter fence.
Power Plant	The Power Plant Area includes: All installations within the Power Plant perimeter fence;
Port	This includes the company port facilities.
Drills	Method of practicing how to mitigate a risk.
BCM	Business Continuity Management. In event of emergency the affected department should initiate it as plan A.

4. EMERGENCY SERVICES PHONE NUMBERS

AREA	EMERGENCY CONTACT
SA Fire	3333 / 26863333
SA Ambulance	3333 / 26863333 / 3222 / 26863222 or Hand Radio Channel 16
CML Duty Manager	99855907
Port Civil Defense	26750320 / 9999
Police Ambulance	26840099 / 9999
SIPC	26852777
Sohar Hospital	26840399

5. RESPONSIBILITIES


Role	Accountability	Authority
GM-M&S	Standard owner Ensure standard is achieving purpose	Authorize standard design implementation and change audit
Manager EHS	Standard design, ongoing monitoring and improvement, Standard control	Recommended change or improvement. Monitor/Review
Managers	Insure all staff and relevant contactors are adequately trained with respect to the emergency preparedness and response standard Site incident controller within the area of their authority	Service request (to EHS) Leadership assign tasks for BCM operations/process safety order Area shutdown/evacuation
All staff	Performance, work practices and decisions consistent with the emergency preparedness and response system requirement.	Role requirement

6. PROCEDURE

The Emergency procedure detailed in this standard is divided into four main sections:

- Section one describes the actions to be taken in emergencies of level one in nature.
- Section two describes the actions to be taken in emergencies of level two in nature.
- Section three describes the actions to be taken in emergencies of level three in nature.
- Section four describes the emergency drills procedures.


Diagram showing the progression of the three levels of emergency categories.



- Note 1: It is very important to realize that each level is a natural progression from the level below it. Therefore level two can only be initiated after following the procedure for level one, and the like applies for level two. Level three can only be activated after implementing the procedure for level two. Level one can be any staff who discover the fire with limited response use only fire extinguishers if safe to do so and accordingly notify level two to respond even if the fire is knocked off by used fire extinguishers.
- Note 2: It is also very important to note that initiating a higher level emergency situation does not prompt the seizure of the level below it. i.e. initiating level three does not relieve the SA ERT from their duties.
- Note 3: In the event of an emergency, personnel shall proceed to act in accordance with the instructions contained in this Document and applicable appendices.
- Note 4: For emergencies in the various operating areas all personnel not directly concerned with the emergency, unless their duties are otherwise specified shall stay clear and avoid congestion.

7. ESCALATION OF EMERGENCIES

SA Management has agreed to use the following Three emergency management response levels as a guide to be used before, during and following emergencies. Each level signifies the variation of the impact to the business caused by an emergency.



Action on discovering an emergency

In the event of fire or Emergency within the Company Areas, it is the responsibility of the person who first detects the fire/emergency to report it by dialing 3333 from the nearest landline telephone, if GSM 26863333 which automatically calls the Emergency Centre stating:

"This is (Give name, SA ID number if SA employee and telephone number)

Fire/emergency at..... (Give exact location)"

If the fire is in a building, the person reporting the fire, after dialing above emergency number shall sound the nearest local alarm and evacuate the building.

7.1. Emergency Situation Procedures

7.1.1. This section details the procedures to be followed for Level 1, 2, 3 and BCM during emergency situations.

7.2. Level 1 emergency

- It is the duty of all personnel to act immediately to control emergencies and to prevent the consequences of escalating situations by applying first aid firefighting skills and using available resources that they have received adequate training on using. e.g. Fire Extinguishers. In the event of an emergency the affected departments are requested to initiate BCM emergency prior to level 2 emergency arrival.

7.3. Activating level 2 emergency

- In the event of emergency call received, the Plant Protection ER On scene commander will initiate level 2 emergency by mobilizing ERT and inform Superintendent and EHS Manager.
- Plant Protection ER On scene commander will be required to mobilize the core ERT to the scene of emergency immediately.
- Evaluate the location, size and condition of fires
- Provide the details of fires to subordinates and superiors and interagency dispatch centers
- Position equipment in order to contain fires effectively and safely
- Evaluate the performance of the firefighting make sure performed effectively and safely
- If the situation escalates beyond the SA ERT capabilities, then
- Plant Protection ER On scene commander initiate level 3 emergency to call Civil Defense to support and notify CML.

7.4. Activating level 3 emergency

- In the event of level three emergency decision, Plant Protection ER On scene commander informs ER Superintendent, EHS Manager and CML duty Manager. The CML or EHS manager will report it to the Crisis Management Leader.
- It is the responsibility of the Crisis Management Leader or the EHS Manager to initiate the call out the CMT if and when appropriate. While not inclusive, the following are major situations, which should prompt a decision.
- A serious threat, or occurrence, of injury or death to any employee, contractor, or member of the public
- Major incidents which could affect operations (large-scale incidents, major asset damage, natural disasters, cyclone, flood etc)
- An escalating critical incident, serious or widespread contamination or sabotage
- An occurrence of any of the critical threats identified in this Manual

7.5. Training Requirements

All Sohar Aluminum employees will receive adequate training according to appendix A.

7.6. General Instructions

- For fires in the various operating areas, all personnel not directly concerned with the fire, unless their duties are otherwise, specified shall stay clear and avoid congestion.
- Personnel on duty within all Departments shall report to the Assembly Point and wait for instruction from ER On scene commander who is the ERT Supervisor or his relief.
- All Hot Work and Entry to confined space Permits shall be withdrawn and all hot work stopped in the area until the "All Clear" signal is given by the Emergency Commander.
- During emergencies, the right of way is exclusively for the Emergency Response Vehicles.

7.7. Emergency Alarms

- There is a plant mass evacuation alarm that can be activate from gate 2, in emergency this alarm will be operated only on CEO instruction this alarm is tested every Sunday At 12:00 hrs.

7.8. Emergency Instructions,

- The following describes the action to be taken in case of emergency within the main smelter area: -

7.9. Sohar Aluminum Emergency Response Team (ERT)

A core team of Plant Protection members from ERT (EHS Department) who are the incumbents of the following positions: -

- Shift Senior Supervisor – ER on scene commander
- Shift Fire Fighters – ERT core members

7.10. Duties of ERT members

If the fire/emergency is within the company main smelter perimeter fence, members of the ERT Team when alerted shall proceed as follows: -

- On receiving an emergency call, the ERT core members at the fire station shall wear full turnout gears start the fire truck and respond to the emergency scene.
- On the arrival at the scene, prepare for ER on scene commander brief and plan actions.
- The ERT members shall act to fight the fire under the direction of the Plant Protection ER on scene commander who shall co-ordinate his activities closely with relevant department representatives.
- After completion, preserve the area for investigation.
- Make up all the emergency equipment and returned to the fire station.
- Finally refurnish the fire trucks and refill the breathing apparatus keep ready for next turnout.

7.11. Duties of Emergency Telephone Operator

On receipt of a fire call the Telephone Operator shall proceed as follows:

- Record, exact location and nature of the emergency and name, employee number and telephone number of the caller.
- Call members of the ERT on 99256629
- Call medical Centre by radio channel 16 or TEL 3222 for the nurse to be ready for ambulance mobilization
- If the ETO is on day shift front disk, security duty, before proceeding to emergency callout, notify security representative for their info.
- Proceed to fire station and drive Ambulance to medical.

7.12. Duties of ERT Supervisor

If the emergency is in the main smelter plant, the ERT Supervisor shall proceed to the scene of the emergency and assume the Emergency Commander duty as follows:-

- The Plant Protection ER on scene commander shall proceed in his vehicle to the scene of the emergency.
- Plant Protection ER on scene commander shall keep contact with area emergency reporter for Emergency Vehicles access clearance.
- On arrival, perform dynamic risk assessment / size up the area.
- Brief the team and delegate tasks.
- Inform the area technical representative about the plan.
- Inform ER Superintendent / CML Duty Manager
- In-case LEVEL 3 Emergency Support Requirement, then Plant Protection ER On scene commander will inform the Civil Defense - using the direct telephone link and state the location of the emergency.
- An "All Clear" signal can be approved only by the ER on scene commander or his replacement.
- When the "All Clear" has been given, the duty manager will inform the relevant parties the emergency is call off.
- Debrief session is to be held involving all the stockholders.

7.13. Duties of EHS Manager

- If available and necessary, the EHS Manager or his/her delegate shall proceed to the scene of the emergency and provide the necessary support to the ERT team.

7.14. Duties of CML Duty Manager

The duty manager shall evaluate the emergencies, which may require Crisis Management Team notification.

- Ensure available to respond to a crisis situation at all times.
- Communicates incident information to the crisis management leaders.
- Provides technical support to the Plant Protection ER on scene commander who has direct oversight and leadership of the emergency response team and equipment at the location of the incident.


7.15. Duties of all EHS Coordinators

- If available, Area EHS Coordinators shall proceed to the emergency support point and report directly to the Plant Protection ER On scene commander or his delegate and render assistance as directed.

7.16. Duties of Safety and Hygiene Superintendent

- If available and necessary, Safety Specialist shall proceed to the emergency support point and report directly to the Plant Protection ER on scene commander or his delegate and render assistance as directed.

Incident Command Structure



7.17. Duties of Area Manager,

- The Manager or his/her delegate, of the area involved in emergency shall report to the Emergency Support Point of the emergency and maintain close liaison with the ER on scene commander or his replacement

7.18. Duties of Sohar Aluminum Employees

For the purpose of this Document, the term Sohar Aluminum Employees includes all employees of Reduction lines, Cast House Carbon, Central Stores, Central Maintenance, fuel station, and all other areas within the smelter.

- Employees shall be on stand by and be prepared to make operational changes or shut down equipment as instructed using plan A as stated in every emergency rescue plans.
- The area supervisor on duty in the process areas involved in the emergency shall ensure that an emergency call has been made in accordance with this Standard and shall ensure that all personnel on the unit at the time the fire started are accounted for. He shall afterwards co-ordinate his activities in dealing with the emergency with those of the Plant Protection ER on scene commander.

7.19. Departments Involved and Task Assigned

7.19.1. Central Maintenance/Utilities

- Ensure adequate water in fire water tanks.
- PM checks & repair for fire truck.

7.19.2. Smelter Power Operation

- Isolate power supply (HV) where and when necessary.

7.19.3. Communications Department

- Press Release, Public

7.19.4. Environment Section

- Any advice on chemical handling any other environmental issues department sections are to refer to the MSDS at their location.

7.19.5. Health Center

- Medical Emergency response

7.19.6. Area Owner

- Provide operational information & support.

7.19.7. Civil Defense

- Provide firefighting and rescue support in case of level 3 emergency

7.19.8. Hospital (local), Clinics.

- Provide medical support beyond the capabilities of the company health Centre.

7.19.9. Engineering:

- Support of contractors & equipment.

7.20. Duties of Security personal

- In the event of an emergency the Security section shall ensure that the roadways at the respective gates are kept clear and facilitate the passage of vehicles carrying authorized personnel or equipment to the emergency support point.
- The Senior Member of Security section present at the incident should be contacted to clarify any points regarding authorized access.

7.21. Organization at Scene of Emergency

The following shall be used as a guide to ensure efficient control of activities at the scene of a fire:

- Departments to initiate BCM as plan A to control activities and process shutdown prior to level ERT arrivals
- Upon arrival of the ERT members, firefighting activities shall be controlled by the Plant Protection ER on scene commander. The area representative present shall work in close co-operation with the Plant Protection Emergency Commander or his delegate.
- The Plant Protection ER on scene commander or his delegate upon arrival at the scene of the emergency shall assume control of emergency response operations.
- Before assuming control of activities and issuing orders, the authority taking over shall inform the person previously in charge that he is relieved of control.
- When the fire truck arrives at the scene of the emergency it shall, as far as possible, be parked up wind and clear of the emergency. No person other than those authorized shall remove any gear or equipment from any part of the fire truck(s).

- Hose lines or any other gear shall not be laid out or brought into operation without the direction of the person in control of firefighting operations.
- Emergency Support Point shall be set up at the most appropriate location as decided by the Plant Protection ER on scene commander or his delegate.
- The Emergency Support Point will be identified by erecting a specifically built Tripod with a sign board marked "Emergency Support Point".
- All personnel other than those engaged in emergency operations and plant operations shall report to the area at which an Emergency Support Point has been set up and not to the emergency.
- Only the fire truck or fire engines shall park in or proceed to the vicinity of the emergency. All other vehicles, including those carrying ancillary equipment for the emergency response, shall report to the Emergency Support Point for instructions.
- When emergency operations are complete ERT Members are responsible to ensure that all equipment's used in the emergency operations are collected and stored back in its appropriate locations.

7.22. Activation of Level 3 Emergency

- In the event of emergencies beyond control by the capabilities of SA ERT, then the Plant Protection ER on scene commander will initiate level 3 emergency by calling Civil defense and inform all parties listed in level 3 call list.

7.23. Level 3 emergency

This section details the procedures to be followed for Level 3 emergency category.

- Plant Protection ER on scene commander will inform the Civil Defense - using the direct telephone link and provide the information required, such as, exact location of emergency, the nature of the emergency, the SA ERT Leader name, report any casualty, etc.
- Plant Protection ER on scene commander will update CML Duty Manager upon arrival of Civil defense at Sohar Aluminium Facilities.
- As soon as Level 3 emergency is announced Plant Protection ER on scene commander will assign one ERT team member with vehicle to receive the Civil defense fire trucks at the SA main gate and escort them to the Emergency Control Point.
- For all level 3 emergencies, the Civil Defense will respond directly to the emergency control point and take control of all emergency response activities.
- Plant Protection ER on scene commander will remain next to the Civil defense officer in control of the emergency to provide advice and guidance on local issues.
- All other support groups will continue to provide support activities to the emergency response teams through the Plant Protection ER on scene commander.
- ALL CLEAR Signal will be decided by the Plant Protection ER on scene commander in consultation with the civil defense and the area representative.

7.24. Call out of staff not normally on Fire Call

- When staff are being called in to carry out specific tasks i.e. maintenance etc., it is the responsibility of the department head concerned to contact the required staff and assemble them.

7.25. Communications

- One set of UHF radio is to be given to the Officer-in-charge of Civil Defense.

7.26. Emergency Procedure – Power Plant

- Power plant will contact directly civil defense in case of emergency. The company ERT will be only, made aware.

7.27. Emergency Procedure – Port Facilities

- Port facilities will contact directly civil defense in case of emergency. The company ERT will be only, made aware.

8. Emergency Drills

Scope of conducting effective emergency drills helps building owners, property management and others responsible for fire safety within a building to:

- Provide scheduled opportunities for comprehensive fire emergency response training for Fire Wardens (those persons delegated with specific duties to carry out during a fire emergency)
- Determine whether designated staff can competently respond in accordance with the emergency fire and evacuation procedures;
- Determine whether Emergency teams Plant Protection and medical responds in a timely manner to carry out their duties;
- Determine whether sufficient Emergency team responds in a timely manner to carry out their duties.
- Assess the ongoing effectiveness of the emergency procedures under different fire scenario conditions.

8.1. Drills Responsibilities

- Emergency Response Superintendent is responsible to have a written Emergency Drill Plan prepared and approved kept in DMS.
- The drill plans must be available to all Plant Protection Senior Supervisors and a copy shall be readily available at all operation areas.
- Plant Protection Supervisors must insure that the drills are completed as per plan.

8.2. Drill Plan & Procedures

Emergency Drill Plan														
Location	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
Evacuation Drills														
Administration Building			A			D			C			B		
Cast House			D			C			B			A		
Central maintenance			C			B			A			D		
Reduction			B			A			D			C		
Anode Plant			A			D			C			B		
Training Centre			D			C			B			A		
Warehouse 1			C			B			A			D		
Power Plant			B			A			D			C		
Port												B		
SERO Familiarization				A			D		C		B			
Shift - A	Paste Plant			Reduction			Admin Buiding			Reduction				
Shift - B		SPL			CH			TOE			Reduction			
Shift - C	CM			GIS			Reduction			ABF				
Shift - D		Paste Plant			CM			WH/2			Reduction			
Fire & Rescue Power Plant & Port SIPC level 2 drill														
Shift B- Power Plant										C11				
ISPS Security Drill														
Security Team - Port ISPS							SECURITY DRILL IN SIPC							
Drill level & Color code					Dept	Shift	Level	Drills as per ERP			Status			
level 2					Paste Plant		2	Fire in liquid pitch tank						
Level 3					Reduction		2	MEW/P (Mobile elevating work platforms) Rescue.						
Evacuation					Admin Building		2	PAH Building Fire and rescue						
Maritime Security Drill					Reduction		2	PTA rescue & Fire in PTA workshop area						
Number of drills per shift					SPL		2	Fire in SPL building and rescue						
shift A					CH		2	Finished product truck accident with injury.						
shift B					TOE		2	Fire and Rescue in TOE workshop area						
shift C					Reduction		2	MEW/P (Mobile elevating work platforms) Rescue.						
shift D					CM		2	Mobile Equipment hydraulic oil leak						
Total					GIS		2	Transformer RF11 Fire and Rescue						
					Reduction		2	MEW/P (Mobile elevating work platforms) Rescue.						
Drills Guidelines:					ABF		2	Rescue from ABF Pit						
Before every drill the following must be done.					Paste Plant		2	Trapped person in Paste plant lift.						
2. Conduct R.A , Inform EHS manager and Area manager.					WH2		2	Fire in the chemical store- BECTEL area						
3. The drill scenario should in alignments with ERP.					CM		2	Fire in the Diesel fuel station.						
4. Drill debrief to be conducted after the drill immediately,					Reduction		2	MEW/P (Mobile elevating work platforms) Rescue.						
5. This plan is as per NFPA 101 Life Safety Code Requirements					PP	B/ SERO	3	Rescue from C 11 during shutdown						
					Port ISPS	Security	3	SECURITY DRILL IN SIPC						
Completed					NFPA 101 . Sec. 18. 7.1.2/19. 7.1.2 requires that fire drills be conducted quarterly on each shift.									
Overdue														
Created By : Emergency Response Superintendent							Agreed by: EHS Manager							
Sign:							Sign:							

8.2.1. Evacuation Drill (Level 1)

- Evacuation drills should be scheduled in advance to ensure that all staff on all shifts have an opportunity to participate in a fire drill. This is important to make sure the requirement for quarterly evacuation drills occurring at various times of the day and night is met.
- For most evacuation drills Plant Protection Senior Supervisor can inform the area owners that there will be an evacuation drill sometime later that day or night.
- The fire alarm system should be sounded to begin each drill. It is important for residents to know the sound of the fire alarm.
- Staff need to treat all drills as a real emergency. This helps learn that they must leave the offices whenever the alarm goes off and assembled at the designated assembly point.
- If a drill is conducted 2 or more staff, should be designated to time the drill event. They should note the time when the alarm goes off and ends when all employees reaches to the fire assembly point.
- Plant Protection Senior Supervisor need to record the results of the drill right after the drill has been completed. This is important because this information needs to be accurate as it will be used to determine if any issues need to be addressed in the INTELEX CAPA.
- Plant Protection should meet with area owner after the fire drill to review results. The goal is to help individual's understand what went right and what went wrong. This meeting should be a positive interaction and be used as an opportunity to improve fire drill skills
- Fire Wardens need to review the fire drill results to see if any follow-up is required.

8.2.2. Fire Drill Level 2

- Fire drills should be scheduled in advance to ensure that no conflicts in production activities so that the operation areas have an opportunity to well plan the activities without conflict on their businesses.
- Fire scenario shall be selected from ERP Plan-B as per agreed annual fire drill plan.
- Classified high risk areas fire drills shall be held frequently.
- In all other buildings, fire drills shall be held once in a calendar year.
- Risk Assessment to be done jointly with area.
- Adhere to agreed Risk Assessment.
- Any unsafe condition drill to be stopped and reevaluated.
- Full firefighting gears (PPCs / PPEs) are to be worn during any emergency or exercise turnout.

Note; on the day of drill plan Plant Protection Senior Supervisor of the shift prior to the commencement of the drill make sure medical team are not engaged with any priority case.

8.2.3. Fire Drill Level 3

- This shall be scheduled in advance and followed with a letter request to Civil Defense stating the date, time, and location of the planned drill to ensure no conflicts on their businesses.
- Once Civil Defense agrees the scheduled plan date, Plant Protection Senior Supervisor and the area owners are to agree with scenario to be prepared and forwarded to civil defense for their agreement and no objection.
- Staff need to record the results of the emergency drill right after the drill has been completed. This is important because this information needs to be accurate as it will be used to determine if any issues need to be addressed.
- Plant Protection Senior Supervisor should meet with areas representatives after the fire drill to review results. The goal is to help individual's understand what went right and what went wrong. This meeting should be a positive interaction and be used as an opportunity to improve fire drill skills.
- Fire Wardens staff need to review the fire drill results to see if any follow-up is required.

9. REVIEW OF THE STANDARD

The Emergency Preparedness and Response Standard shall be reviewed on a 5-yearly basis. It may be also reviewed at any time in response to changes in legislation, standards, operations, or improved knowledge and understanding of EHS requirement. The previous copies of the document are retained in the document management system.

10. REFERENCES


- NFPA 1600 Standard
- BCM
- Rescue Plans

11. APPENDICES

- Appendix A – Process flow in relation to BCM
- Appendix B – Training requirements

Appendix A – Process flow in relation to BCM and other levels (from BCM Appendix 4):

Business Continuity Management Strategy - Appendix 4 – Incident Response Structure



Appendix B – Training requirements

	Level ONE		Level TWO		Level THREE
ERT Supv.	NEBOSH Fire Certificate		Command & Control Fire Investigation		Communication Skills
ERT Core Member	Basic Fire Fighting Fire Pump Operation Breathing Apparatus Basic Life Support	↔	Advance Industrial Fire Fighting Rescue techniques Road Traffic Accidents	↔	DRILLS
Other SA Employees	Basic Fire Extinguisher		Communication ER system familiarization		DRILLS

Revision No	Date approved	Nature of revision
00	08 Feb 2008	New Standard
01	07 Sept 2015	Update content, template & numbering system
		Add emergency contact number in page 3 updated the responsibilities in page 3. Updated the page 6 & 7 items no, 6.1, 6.2, 6.3, and 6.4. Page no 13 item no 10 is updated with adding the ERPs Appendices.
02	06 June 2017	Added Emergency Drills system pages,1, 2,12,13
		Page 1 Management approver name is changed due to management change. Page 3 Radio communication added, and GM Role responsibility is changed from operation to GM Maintenance Services. Page 7 ERT Leader communication for Emergency Vehicles access clearance. And Emergency Telephone Operator duty drive Ambulance to medical.
03	21/08/2018	a) Def and Abrev – amended Level 1 Emergency b) Review of standard changed from bi annually to 3 yearly
04	12/12/2021	Update the reviewers & Approver
		P.11 updated content # 8.2.2 additional points added as per incident corrective actions Intalex # 142344 / Page # 2 CML GSM contact Added / Page # 6 duty of CML is added.
05	23/07/2024	Document review; 7.18 added: using plan A as stated in every emergency rescue plans. 7.2 added: In the event of an emergency the affected departments are requested to initiate plan A emergency prior to level 2 emergency arrival. 7.21 added: Departments to initiate plan A to control activities and process shutdown prior to level ERT arrivals. 7.3 added: and notify CML. 7.7 added: in emergency this alarm will be operated only on CEO instruction 8.2. updated drill plan Template Added appendix A as process flow related to BCM Changed Appendix B as Training requirements.